



Eyelet

DONGNAM I.K

Since 2003. From Vietnam

Garment Accessories Company Profile

Dongnam I.K Co Ltd.,

HQ - G29, Tan Quy Dong Area,
Tan Phong Ward, Dist 7, HCMC

Branch - No.4, Tower G, Sunrise
Riverside, Nguyen Huu Tho St,
Phuoc Kien, Nha Be, HCMC

www.dongnamik.com

Mob - (+84) 908.445.320
Mail - phamhoangchau@yahoo.com
giaphuc1998@gmail.com

Tel - (+84) 028.628.74595
(+84) 028.628.74586

www.dongnamik.com

18 years-old


950+ products

For exports

Rapid service

Wholesale price

Certified quality



String

DONGNAM I.K

Since **2003**. From **Vietnam**

Our Introduction

Dongnam I.K Co Ltd., is the expert in garment accessories from 2003. Our products are consumed domestically and exported internationally to the United States, Europe, Canada, Australia, New Zealand, Japan and Korea. Our company has rapidly been growing within 18 years with a team of experienced staff. We proudly become a garment accessories supplier for brands in different categories of:

- Fashion & Clothing
- Luggages, baggages & backpacks
- Medical supplies
- Shoes & footwear
- Medical face masks & clothings
- Sportswears
- Formal wears

Our Products

We have gained valuable experiences in production and supply of garment accessories to enrich our products catalogues. There are over 950 items in our product list, which are divided into the categories of:

- Metal Accessories
- Plastic Accessories
- Pad
- Tape
- Elastic
- Packaged Accessories

Our Quality

Quality is our priority for domestic use or exports. We are the supplier for international brands such as Nike, Adidas, Zara, Walmart via factories. Some of our products are certified for safety use with Intertek and Vietnam Textile Research Institute standards. We ensure that every customer will satisfy with our products.

Intertek Certificates



TEST REPORT

NUMBER : VNMT12012046
DATE : 21-May-2012

APPLICANT : DONG NAM PK COMPANY

ATTN : DIEM THUY.

Sample Description : One (1) Group Of Submitted Sample Said To Be Hook And Bar
Fiber Content : -
Style Number : -
Order No : -
Color : (A) - , (B) - , (C) - , (D) -
Article No. : -
Date Test Started : 16-May-2012

TEST CONDUCTED : AS PER THE REQUEST OF THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO ENCLOSED PAGE(S)

CONCLUSION :

Nickel Rubbing Test	(A)	(B)	(C)	(D)
	M2	M2	M2	M2
M = Meets Buyer's Requirement				
M1 = Meets Applicant's Requirement				
M2 = Meets Commercial's Requirement				
C = Conform To The Fiber Declared				
# = No Comment				
N/A = Not Applicable				
- = Did Not Perform				
M3 = Meet Requirement Accordance To Circular 32/2009/TT-BTC				
F3 = Below Requirement Accordance To Circular 32/2009/TT-BTC				

PREPARED & CHECKED BY :
FOR INTERTEK VIETNAM LTD. VIETNAM

THANH NGUYEN
GENERAL MANAGER

(THIS REPORT SHALL NOT BE REPRODUCED WHOLLY OR IN PARTS WITHOUT WRITTEN APPROVAL FROM THE LABORATORY)
Intertek Vietnam Ltd. Page 1 of 3
Hanoi office: B11 4th Floor, Hanoi Horizon Hotel Building, 40 Cat Linh Street, Dong Da District, Hanoi.
Tel: (84-4) 37337094 Fax: (84-4) 37337093 Website: www.intertek.com
Ho Chi Minh office: 1st Floor, E Town EW Building, 384 Cong Hoa Street, Ward 13, Tan Binh District, Ho Chi Minh City, Vietnam.
Tel: (84-8) 62971099 Fax: (84-8) 62971098 Email: consumergoods.vietnam@intertek.com



TEST REPORT

NUMBER : VNMT11004192-REV1
DATE : 30-Mar-2011
THIS IS TO SUPERSEDE REPORT
NO. VNMT11004192
DATED 29-Mar-2011

APPLICANT : DONG NAM I.K CO., LTD

G29 TAN QUI DONG LIVING QUATEUR-TAN PHONG WARD
DISTRICT 7, HO CHI MINH, VIET NAM.

ATTN : MS. DUNG.

Sample Description : One (1) Group Of Submitted Sample Said To Be Metal Zipper.
Style No. : -
Country of Origin : Vietnam
Order No. : -
Colour : -
Fibre Content : -
Manufacturer's Name : Dong Nam IK
Date Received/Date Test Started : 18-Mar-2011
Goods Exported To : America, EU

TEST CONDUCTED : AS PER THE REQUEST OF THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO ENCLOSED PAGE(S)

Reason For Revision : Added Fiber Content And Measuring Zipper Dimensions Tests As Applicant's Requested.

PREPARED & CHECKED BY :
FOR INTERTEK VIETNAM LTD. [VIETNAM]



REPORT SHALL NOT BE REPRODUCED WHOLLY OR IN PARTS WITHOUT WRITTEN APPROVAL FROM THE LABORATORY.
Page 1 of 2

Intertek Vietnam Ltd.
Hanoi office: B11 4th Floor, Hanoi Horizon Hotel Building, 40 Cat Linh Street, Dong Da District, Hanoi.
Tel: (84-4) 37337094 Fax: (84-4) 37337093 Website: www.intertek.com
Ho Chi Minh office: 1st Floor, E Town EW Building, 384 Cong Hoa Street, Ward 13, Tan Binh District, Ho Chi Minh City, Vietnam.
Tel: (84-8) 62971099 Fax: (84-8) 62971098 Email: labtest.vietnam@intertek.com

Hook & Bar Free Nickel

Zipper Free Nickel



Total Quality Assured
TEST REPORT

NUMBER : VNMT17024833
DATE : 26-Jun-2017

APPLICANT : DONG NAM IK COMPANY
G29 KDC TAN QUY DONG, TAN PHONG WARD,
DISTRICT 7, HO CHI MINH CITY, VIET NAM
ATTN : MS. CHAU/ MS. LINH

Sample Description : One (01) Group Of Submitted Hook And Bar Sample
Fiber Content :
No. Of Sample : 01 Group
Buyer Name :
Style Number :
Order No :
Color :
Article No. :
Goods Exported To :
Date Received/Date Test Started : 22 Jun 2017
Date Confirmation Received : -

TEST CONDUCTED : AS PER THE REQUEST OF THE APPLICANT. FOR FURTHER DETAILS PLEASE REFER TO ENCLOSED PAGE(S)



Total Quality Assured
TEST REPORT

NUMBER : VNMT17024833
DATE : 26-Jun-2017

TEST CONDUCTED (AS REQUESTED BY THE APPLICANT)

1. Non-Ferrous Test
PD CR 12471

Tested Component	Result
(1)	Negative

REMARK:
Tested Component:
(1) Silver Color Metal Hook/Hook Plate/Bar/Bar Plate

END OF THE TEST REPORT

Report Number : VNMT17024833



Non-ferrous Certificate

Anti Bacterial Non-woven facemask certified by Vietnam Textile Research Institute



CHI NHÁNH CTC-P-VIỆN NGHIÊN CỨU DỆT MAY TẠI TP. HỒ CHÍ MINH
TRUNG TÂM THÍ NGHIỆM DỆT MAY
BRANCH OF VIETNAM TEXTILE RESEARCH INSTITUTE -
JOINT STOCK COMPANY IN HO CHI MINH CITY (VTRSI)
TEXTILE TESTING CENTER (TTC)
345/128A Tran Hung Dao Street, Cau Kho Ward, District 1, Ho Chi Minh City, Viet Nam, Tel: (84-28) 39201194
Fax: (84-28) 39202215. Email: ptttrsi.100@gmail.com Website: www.phavienietdetyang.vn



TEST REPORT

NUMBER : 14504-1/TNV
DATE : APRIL 27, 2020

APPLICANT : DONG NAM IK CO., LTD
G29 TAN QUY DONG RESIDENT AREA, TAN PHONG WARD, DISTRICT 7, HO CHI MINH CITY

SAMPLE DESCRIPTION AS DECLARED :

DESCRIPTION : ANTIMICROBIAL FABRIC MASK WITH SILVER NANO
COLOUR : WHITE
SAMPLE RECEIVING DATE : APRIL 17, 2020
SAMPLE PERFORMING DATE : APRIL 17, 2020 - APRIL 27, 2020
PREVIOUS TEST REPORT(S) : /

TEST PERFORMANCE & RESULTS : FOR DETAIL, PLEASE SEE ATTACHED PAGE(S)

SIGNED FOR AND ON BEHALF OF
BRANCH OF VIETNAM TEXTILE RESEARCH INSTITUTE., JSC
VICE DIRECTOR, TTC



Ths Phạm Thị Ngọc Châu



The results above mentioned are valid for samples provided by the client only.
This test report cannot be reproduced, except in full, without prior written permission of the TTC
Name of sample and client are reported as the client's request.
(*) The test result has not been approved by ISO/IEC 17025; (**) Tested by sub-contractor

Page 1 of 2

BM.TT.10.03(11)



CHI NHÁNH CTC-P-VIỆN NGHIÊN CỨU DỆT MAY TẠI TP. HỒ CHÍ MINH
TRUNG TÂM THÍ NGHIỆM DỆT MAY
BRANCH OF VIETNAM TEXTILE RESEARCH INSTITUTE -
JOINT STOCK COMPANY IN HO CHI MINH CITY (VTRSI)
TEXTILE TESTING CENTER (TTC)
345/128A Tran Hung Dao Street, Cau Kho Ward, District 1, Ho Chi Minh City, Viet Nam, Tel: (84-28) 39201194
Fax: (84-28) 39202215. Email: ptttrsi.100@gmail.com Website: www.phavienietdetyang.vn



TEST REPORT

NUMBER : 14504-1/TNV
DATE : APRIL 27, 2020

TEST RESULT

BUYER'S REQUIREMENT

1/ DETERMINATION OF ANTIMICROBIAL ACTIVITY - THE PERCENT REDUCTION OF THE ORGANISMS (%)(AATCC 100 - 2012) (**)

ITEM	TEST METHOD	TEST ORGANISM	RESULT	BUYER'S REQUIREMENT
DETERMINATION OF ANTIMICROBIAL ACTIVITY - THE PERCENT REDUCTION OF THE ORGANISMS (%)	AATCC 100 - 2012	ESCHERICHIA COLI ATCC 25922	0 HOURS (B), CFU/ml 24 HOURS (A), CFU/ml % REDUCTION (R)	1,9 x 10 ⁵ < 1,0 x 10 ² >99,9
		STAPHYLOCOCCUS AUREUS ATCC 6538	0 HOURS (B), CFU/ml 24 HOURS (A), CFU/ml % REDUCTION (R)	1,7 x 10 ⁵ < 1,0 x 10 ² >99,9

REMARKS : TEST SPECIMENS WERE INCUBATED AT 37°C FOR 24 H.


CFU/ML : COLONY FORMING UNITS PER MILLILITER : % R= 100 (B-A) / B WHERE:

A: CFU PER MILLILITER AFTER THE 24 HOUR CONTACT TIME

B: CFU PER MILLILITER AT THE "0" CONTACT TIME

*** END OF REPORT ***


SAMPLE



The results above mentioned are valid for samples provided by the client only.
This test report cannot be reproduced, except in full, without prior written permission of the TTC
Name of sample and client are reported as the client's request.
(*) The test result has not been approved by ISO/IEC 17025; (**) Tested by sub-contractor

Page 2 of 2

BM.TT.10.03(11)



Our Metal & Plastic accessories



Hook & Eyes



Hook & Bar



Snap Button



Metal Button



Washer



Eyelet



Rivet



Buckle



Metal Clip




Springs



Stopper



Plastic Button



Palem

Our Products categories

Pad



Bra-cup



Collar Pad



Shoulder Pad


Pins



Bundle String




String Pin




Tag Pin

Tapes



Grossgrain



Webbing Tape



**Clear/Satin/Cotton/
Poly tape**

Elastic



Zipper



Elastic Band



Elastic Thread



Elastic String


Our Packaging accessories & medical



Plastic Clip



Silica Gel




Cardboard



**Non-woven
face mask**



**Fabric face
mask**



**Face Mask
Elastic**



DONGNAM I.K

Since 2003. From Vietnam

HQ - G29, Tan Quy Dong Area,
Tan Phong Ward, Dist 7, HCMC

*No.4, Tower G, Sunrise Riverside,
Nguyen Huu Tho St, Phuoc Kien,
Nha Be, Ho Chi Minh City, VN*

phamhoangchau@yahoo.com

www.dongnamik.com